

表 - 1 昭和62年取水井戸（地先）水温

(月) (日)	1	2	3	4	5	6	7	8	9	10	11	12
1	—	—	—	20.2	22.9	25.0	25.7	27.7	27.4	26.5	27.1	24.2
2	21.2	20.2	19.4	20.4	23.3	25.2	25.7	27.7	27.7	27.5	27.2	23.7
3	21.3	19.5	19.7	20.5	23.7	25.5	25.8	27.9	27.5	27.4	—	23.6
4	—	19.5	19.9	20.2	23.0	25.5	26.2	28.2	27.5	—	27.3	23.7
5	21.3	19.4	20.1	20.2	22.8	25.5	26.5	28.3	27.7	26.5	26.7	23.9
6	20.6	19.4	20.3	20.4	22.7	25.2	26.6	28.4	—	26.8	26.3	—
7	20.8	19.7	20.7	20.8	22.8	25.1	27.0	28.4	27.7	26.8	25.8	23.5
8	20.5	—	20.4	20.9	23.1	25.4	27.3	—	—	26.7	—	23.5
9	20.5	19.6	20.5	21.1	22.6	25.4	27.6	—	27.4	26.8	25.6	23.7
10	20.7	19.7	20.5	21.6	22.5	25.3	27.5	28.3	27.5	—	25.7	23.8
旬平均	20.9	19.6	20.2	20.6	22.9	25.3	26.6	28.1	27.6	26.9	26.5	23.7
11	—	19.9	20.5	21.8	23.3	25.1	27.4	28.3	27.5	—	25.5	23.7
12	20.8	20.3	20.3	21.8	23.4	24.9	27.3	28.2	27.4	27.1	26.0	23.3
13	20.1	20.5	20.5	21.1	23.7	25.2	26.7	27.9	—	26.7	25.8	—
14	20.2	20.6	21.0	20.9	24.1	25.3	26.5	28.1	27.4	26.7	—	23.1
15	—	20.9	20.7	20.9	23.7	25.5	26.1	27.8	—	26.8	—	23.3
16	20.3	21.0	20.7	21.2	23.7	25.6	26.1	—	27.4	26.5	25.4	23.3
17	20.5	21.0	20.5	21.3	23.8	25.2	25.8	27.8	27.5	26.5	25.2	22.8
18	20.4	21.2	20.5	21.3	23.8	25.1	26.1	27.8	27.3	—	—	22.9
19	20.6	21.2	20.5	21.5	23.5	25.3	26.2	27.7	27.4	26.7	—	23.2
20	20.2	21.2	20.8	21.4	23.6	25.4	26.5	27.9	—	26.0	25.1	—
旬平均	20.4	20.8	20.6	21.3	23.7	25.3	26.5	27.9	27.4	26.6	25.5	23.2
21	20.2	20.8	20.9	21.5	23.5	25.4	26.6	28.6	27.1	26.3	25.1	22.7
22	20.2	20.7	20.9	22.2	23.7	24.0	26.7	28.6	27.2	26.2	—	22.9
23	20.5	20.7	21.1	22.2	23.8	24.4	27.3	—	—	26.1	—	22.8
24	20.3	20.3	21.4	22.2	24.0	24.7	27.3	28.8	27.3	26.3	25.2	22.9
25	—	20.2	21.2	22.3	24.2	24.8	27.4	29.0	27.5	—	25.2	22.8
26	19.8	19.7	19.9	22.7	24.7	25.0	27.5	29.0	—	26.8	25.2	22.8
27	19.9	19.8	19.9	22.7	24.9	24.9	27.5	29.0	—	26.8	25.3	—
28	20.1	19.3	20.0	22.1	25.3	25.2	27.5	28.9	26.2	26.8	—	23.2
29	20.0	/	20.3	22.4	24.8	25.2	27.7	28.8	26.3	26.8	—	—
30	20.2	/	20.4	22.5	25.1	25.5	27.9	—	26.4	26.8	24.4	23.2
31	20.3	/	20.6	/	25.1	/	27.7	27.2	/	—	/	—
旬平均	20.2	20.2	20.6	22.3	24.5	24.9	27.4	28.7	26.9	26.5	25.1	22.9
平均	20.5	20.2	20.4	21.4	23.7	25.2	26.8	28.2	27.3	26.7	25.7	23.3
年平均	24.1											

表-2 昭和63年取水井戸(地先)水温

(月) (日)	1	2	3	4	5	6	7	8	9	10	11	12
1	22.5	21.3	21.8	21.7	23.1	23.7	27.6	28.2	28.4	26.8	24.1	22.3
2	22.7	21.5	21.9	21.9	22.9	23.9	27.9	28.2	28.3	26.8	24.0	22.4
3	—	20.9	21.5	22.5	23.1	24.1	28.1	28.1	28.3	26.8	24.0	22.2
4	22.5	20.8	20.7	22.5	23.4	24.1	28.0	28.2	28.3	26.8	24.1	22.2
5	22.7	21.1	20.5	22.4	23.7	23.8	28.2	28.0	28.4	26.8	23.8	21.8
6	21.5	21.4	—	22.4	23.7	24.2	27.6	27.9	28.2	26.7	23.8	21.8
7	22.1	—	20.3	22.3	23.8	24.6	26.7	27.4	28.4	26.2	23.9	22.3
8	22.3	21.1	19.8	22.2	24.2	24.8	27.2	27.7	28.3	25.4	24.2	22.5
9	22.3	20.9	19.9	21.9	24.1	25.2	27.5	27.7	28.4	25.7	24.3	22.4
10	21.7	20.9	20.1	21.7	23.9	25.6	27.4	28.0	28.5	25.7	24.4	21.7
旬平均	22.3	21.1	20.7	22.2	23.6	24.4	26.6	27.9	28.4	26.4	24.1	22.2
11	21.6	—	20.5	21.9	23.8	26.1	27.9	28.3	28.7	25.9	23.4	21.7
12	21.6	21.4	21.1	21.9	23.4	26.3	28.3	28.2	28.7	25.9	23.7	21.3
13	21.4	21.4	21.2	22.3	23.4	26.7	28.5	28.2	28.2	25.9	24.0	21.7
14	21.9	—	21.3	22.2	23.4	26.6	28.8	28.1	28.1	25.4	24.2	21.7
15	—	21.5	21.7	22.3	23.7	26.6	28.8	27.9	27.9	25.3	24.3	21.3
16	—	21.3	21.7	22.3	23.6	26.3	28.7	28.2	27.9	25.3	24.4	21.2
17	—	21.6	21.6	22.5	23.6	26.7	28.9	28.2	27.9	25.3	24.5	21.0
18	21.7	21.2	21.4	22.3	23.7	26.8	28.9	28.3	27.7	25.4	24.2	—
19	21.5	20.9	21.3	22.3	23.7	26.8	29.1	28.5	27.7	25.1	22.9	21.9
20	21.5	21.2	21.3	22.2	23.9	26.9	29.4	28.5	27.9	24.9	23.2	21.8
旬平均	21.6	21.3	21.3	22.2	23.6	26.6	28.7	28.2	28.1	25.4	23.9	21.5
21	—	—	—	22.7	24.1	26.9	29.6	28.5	28.0	25.2	23.5	22.4
22	—	21.3	21.8	22.7	24.1	26.8	29.4	28.6	27.9	25.3	23.4	22.2
23	—	21.4	21.7	22.3	23.8	26.5	29.4	28.7	27.8	25.3	23.6	22.2
24	—	21.5	21.5	22.1	23.8	26.8	29.4	28.9	27.9	25.3	23.0	22.1
25	21.7	21.4	21.6	22.1	23.6	26.9	29.3	28.9	27.8	25.4	23.2	22.1
26	21.7	21.5	21.7	22.3	23.5	27.1	29.1	28.8	27.7	25.2	23.2	21.4
27	21.6	21.7	21.7	22.7	23.6	27.4	29.3	28.8	27.2	25.0	22.6	21.7
28	21.5	—	21.6	22.9	23.8	27.1	29.1	29.1	26.9	24.9	22.4	21.7
29	21.7	21.7	21.8	23.5	23.7	27.3	28.9	29.0	26.8	24.3	22.0	21.7
30	21.7	/	21.8	23.5	23.5	27.4	28.5	28.8	26.8	24.0	22.0	—
31	—	/	—	/	23.5	/	28.4	28.5	/	24.1	/	21.3
旬平均	21.7	21.5	21.7	22.7	23.7	27.0	29.1	28.8	27.5	24.9	22.9	21.9
平均	21.8	21.3	21.2	22.4	23.6	26.0	28.1	28.3	28.0	25.6	23.6	21.9
年平均	24.3											

表-3 昭和64年・平成元年取水井戸（地先）水温

(月) (日)	1	2	3	4	5	6	7	8	9	10	11	12
1	—	21.7	20.4	20.5	21.8	22.9	26.7	26.5	27.5	—	24.0	21.5
2	21.3	20.3	20.7	20.6	22.0	23.1	27.1	25.8	27.7	26.4	23.7	22.0
3	21.1	20.2	20.8	20.9	—	23.0	27.2	25.8	27.7	26.3	23.8	22.0
4	21.2	20.5	21.0	21.1	22.3	23.2	27.3	26.3	27.2	26.1	23.9	22.0
5	21.1	—	20.4	21.2	22.6	23.7	26.9	26.4	26.8	26.0	24.2	22.1
6	21.2	20.6	20.2	21.1	22.5	24.3	27.3	26.2	27.1	26.0	24.3	22.0
7	21.2	20.8	19.1	21.1	22.7	24.3	27.1	26.5	27.3	26.2	24.5	22.1
8	21.7	20.9	19.5	21.3	22.7	24.5	26.8	26.6	27.1	25.8	24.7	21.7
9	21.8	20.8	19.3	21.2	23.0	25.0	26.7	26.7	26.7	25.3	24.7	21.5
10	21.7	20.3	19.5	21.3	23.1	25.5	26.8	26.9	—	25.4	24.7	21.7
旬平均	21.4	20.7	20.1	21.0	22.5	24.0	27.0	26.4	27.2	25.9	24.3	21.9
11	21.7	—	19.7	21.0	23.3	25.9	26.8	27.0	26.2	25.8	25.2	21.8
12	21.5	—	20.6	20.7	23.6	25.7	27.2	27.3	26.3	25.8	24.2	21.8
13	21.2	—	20.5	20.8	—	25.8	27.5	27.6	26.7	25.8	24.4	21.7
14	20.9	20.4	20.9	21.1	23.6	26.4	27.5	—	27.2	25.6	24.4	21.7
15	20.8	20.5	20.5	21.2	22.7	26.5	27.6	27.1	27.3	25.3	23.8	21.1
16	20.5	20.4	20.5	21.1	22.5	26.8	—	27.6	27.4	25.3	23.7	21.8
17	20.8	20.7	20.4	21.0	23.0	27.1	27.8	27.9	27.5	24.8	23.2	21.2
18	21.1	21.2	20.4	21.2	23.1	27.2	27.6	28.0	27.0	24.3	23.3	21.2
19	23.1	20.8	20.5	21.4	22.9	26.2	27.1	28.2	26.7	24.6	22.7	21.2
20	21.3	20.8	20.7	21.4	23.0	25.2	27.0	27.9	26.8	24.7	22.5	21.2
旬平均	21.3	20.7	20.5	21.1	23.1	26.3	27.3	27.6	26.9	25.2	23.7	21.5
21	21.2	20.8	20.7	21.5	23.0	25.3	26.8	27.8	26.8	24.5	22.2	21.3
22	—	21.0	20.6	21.5	23.5	24.5	27.1	27.2	26.8	24.5	23.0	20.3
23	20.8	—	20.5	21.7	23.9	24.5	26.8	27.1	27.0	24.5	22.7	21.3
24	20.3	20.9	20.5	21.9	24.2	24.3	26.5	27.3	26.9	24.5	22.7	20.1
25	20.6	—	20.5	21.3	24.4	24.4	27.1	27.2	26.8	24.4	22.8	20.9
26	20.8	20.2	20.3	21.4	23.6	24.7	26.8	26.9	26.7	24.5	22.8	20.8
27	20.4	20.3	20.4	21.5	22.9	25.2	27.9	—	26.7	24.5	22.8	20.1
28	—	20.3	19.8	21.5	23.4	25.5	27.1	26.9	26.9	24.4	22.6	20.8
29	20.4	／	19.9	21.8	23.2	25.9	27.1	27.4	27.0	24.4	21.4	19.9
30	20.3	／	20.1	21.8	22.9	26.3	27.1	27.5	26.9	24.3	21.8	20.4
31	21.8	／	20.4	／	22.8	／	27.0	27.5	／	24.0	／	20.3
旬平均	20.7	20.6	20.3	21.6	23.4	25.1	27.0	27.3	26.9	24.4	22.5	20.6
平均	21.1	20.6	20.3	21.2	23.0	25.1	27.1	27.1	27.0	25.2	23.5	21.3
年平均	23.6											

表 - 4 昭和62年親魚水槽水温

(月) (日)	1	2	3	4	5	6	7	8	9	10	11	12
1	21.0	—	—	20.0	22.8	24.8	25.6	27.7	27.3	26.3	27.0	23.7
2	21.0	19.8	18.9	20.3	23.3	25.0	25.6	27.8	27.6	27.3	27.1	23.0
3	21.0	19.0	19.3	20.3	23.5	25.2	26.0	28.0	27.3	27.2	—	23.2
4	21.0	18.4	19.4	20.0	22.8	25.3	26.2	28.3	27.4	—	27.1	23.3
5	21.0	18.7	19.8	20.0	22.7	25.3	26.6	28.5	27.4	26.3	26.3	23.5
6	20.5	18.8	20.1	20.3	22.5	25.2	26.7	28.5	—	26.7	25.7	—
7	20.7	19.2	20.5	20.7	22.7	25.2	27.0	28.5	27.6	26.7	25.3	22.9
8	20.3	—	20.0	20.9	23.0	25.4	27.3	—	—	26.6	25.0	23.0
9	20.3	19.2	20.3	21.0	23.0	25.4	27.4	—	27.0	26.6	25.3	23.3
10	20.4	19.4	20.3	21.5	23.0	25.1	27.3	28.2	27.3	—	25.3	23.5
旬平均	20.7	19.1	19.8	20.5	22.9	25.2	26.6	28.2	27.4	26.7	26.0	23.3
11	20.5	19.7	20.3	21.8	23.2	24.9	27.2	28.2	27.3	—	25.3	23.3
12	20.6	20.1	20.1	21.5	23.2	24.8	27.1	28.0	27.2	26.8	25.7	22.8
13	19.4	20.2	20.3	20.6	23.6	25.0	26.7	28.0	—	26.6	25.4	—
14	19.4	20.3	20.8	20.6	23.8	25.2	26.5	27.9	27.2	26.6	—	22.6
15	19.8	20.8	20.4	20.7	23.5	25.3	26.0	27.8	—	26.6	—	22.8
16	19.8	20.6	20.2	21.0	23.4	25.3	26.0	—	27.2	26.5	25.4	22.9
17	20.2	20.7	20.3	21.0	23.6	25.0	25.9	27.8	27.3	26.5	24.8	22.5
18	20.0	21.0	20.3	21.2	23.4	24.9	26.0	27.8	27.1	—	—	22.5
19	20.2	19.9	20.3	21.3	23.3	25.1	26.1	27.8	27.2	26.3	—	22.8
20	19.4	19.8	20.7	21.2	23.6	25.5	26.4	27.9	—	25.8	24.7	—
旬平均	19.9	20.3	20.4	21.1	23.5	25.1	26.4	27.9	27.2	26.5	25.2	22.8
21	19.7	20.4	20.7	21.3	23.6	25.3	26.5	—	26.9	25.9	24.7	22.2
22	19.9	20.3	20.8	22.0	23.8	24.6	26.7	28.5	26.9	25.8	—	22.2
23	20.1	20.3	21.1	22.0	24.2	24.8	27.1	—	—	25.7	—	22.4
24	20.0	20.0	21.3	22.0	24.2	24.7	27.2	28.7	27.2	26.0	24.9	22.4
25	19.0	19.7	20.9	22.1	24.3	24.7	27.3	28.8	27.3	—	24.9	22.6
26	18.8	19.2	19.7	22.6	24.6	24.8	27.4	28.7	—	26.6	25.0	22.6
27	19.5	19.1	19.6	22.7	24.8	24.7	27.3	28.8	—	26.6	25.2	—
28	19.3	18.4	19.9	22.1	25.0	25.0	27.3	28.8	25.9	26.6	—	22.9
29	19.6	／	20.2	22.2	24.7	25.1	27.6	28.5	26.0	26.6	—	—
30	19.9	／	20.2	22.4	24.9	25.2	27.8	台風	26.2	26.8	24.1	23.0
31	20.0	／	20.5	／	24.9	／	27.6	27.0	／	—	／	—
旬平均	19.6	19.7	20.4	22.1	24.5	24.9	27.3	28.5	26.6	26.3	24.8	22.5
平均	20.1	19.7	20.2	21.2	23.6	25.1	26.7	28.2	27.1	26.5	25.3	22.9
年平均	23.9											

表-5 昭和63年親魚水槽水温

(月) (日)	1	2	3	4	5	6	7	8	9	10	11	12
1	22.2	21.1	21.7	21.5	23.0	23.6	27.4	28.2	28.2	26.6	23.7	21.8
2	22.3	21.1	21.7	21.7	22.7	23.8	27.7	28.0	28.1	26.6	23.8	21.8
3	—	20.3	21.1	22.1	22.9	23.7	27.9	27.8	28.1	26.5	23.4	21.6
4	22.2	20.8	20.3	22.3	23.3	23.9	28.0	28.1	28.2	26.4	23.9	21.9
5	22.7	20.7	20.1	22.1	23.4	23.8	27.9	27.9	28.3	26.6	23.4	21.4
6	21.2	21.2	—	22.2	23.5	24.1	27.4	27.8	28.2	26.3	23.4	21.1
7	21.6	—	20.0	22.1	23.7	24.5	26.4	27.7	28.3	26.0	23.3	21.7
8	22.0	20.4	19.6	21.8	23.9	24.7	26.6	27.9	28.0	25.2	23.5	21.9
9	21.9	20.4	19.7	21.5	23.8	25.2	26.9	27.9	28.2	25.3	24.0	22.0
10	21.2	20.4	19.8	21.3	23.8	25.4	27.3	27.8	28.2	25.4	24.1	21.1
旬平均	21.9	20.7	20.4	21.9	23.4	24.3	27.4	27.9	28.2	26.1	23.7	21.6
11	21.1	—	20.4	21.7	23.7	25.9	27.7	28.1	28.4	25.7	23.2	21.0
12	21.1	20.9	20.8	21.7	23.6	26.2	28.1	28.2	28.5	25.7	23.2	20.8
13	21.0	21.2	21.1	22.1	23.3	26.3	28.3	28.1	28.0	25.5	23.6	21.1
14	21.5	21.1	21.3	22.0	23.3	26.3	28.5	27.8	27.9	24.8	23.8	21.2
15	—	20.8	21.6	22.0	23.6	26.3	28.7	27.8	27.7	24.9	23.7	21.0
16	—	21.0	21.5	22.0	23.3	26.3	28.6	28.0	27.8	25.0	24.0	20.4
17	—	20.4	21.4	22.2	23.3	26.5	28.8	27.9	27.7	25.0	24.1	20.2
18	21.0	20.1	21.2	22.2	23.4	26.7	28.8	28.1	27.4	25.1	23.4	—
19	21.0	20.9	21.0	22.1	23.4	26.8	28.9	28.3	27.2	24.8	22.3	21.3
20	21.1	19.8	21.1	22.3	23.7	26.7	29.2	28.4	27.7	24.5	22.8	21.8
旬平均	21.1	20.7	21.1	22.0	23.5	26.4	28.6	28.1	27.8	25.1	23.4	21.0
21	—	—	21.4	22.4	23.8	26.8	29.3	28.3	27.7	24.9	23.0	22.0
22	—	20.9	21.6	22.4	23.9	26.6	29.4	28.4	27.7	25.1	23.1	21.7
23	—	21.1	21.4	21.9	23.6	26.6	29.3	28.7	27.7	25.1	23.3	21.8
24	—	21.2	21.2	21.7	23.3	26.8	29.4	28.9	27.7	25.1	22.5	21.7
25	21.3	21.1	21.6	21.7	23.4	27.0	29.6	28.7	27.6	25.1	22.3	21.7
26	21.2	21.3	21.6	22.2	23.4	27.1	29.3	28.5	27.3	24.9	22.3	21.1
27	21.2	21.6	21.5	22.4	23.6	27.3	29.2	28.4	27.3	24.8	21.8	21.0
28	21.2	—	21.5	22.6	23.6	26.8	29.1	28.8	26.8	24.6	21.6	21.1
29	21.4	21.4	21.6	—	23.5	27.2	28.6	28.8	26.6	23.8	21.5	21.1
30	21.3	/	21.7	23.3	23.2	27.3	28.2	28.4	26.6	23.6	21.5	—
31	—	/	21.5	/	23.3	/	28.2	28.3	/	23.7	/	21.1
旬平均	21.3	21.2	21.5	22.3	23.5	27.0	29.1	28.6	27.3	24.6	22.3	21.4
平均	21.4	20.9	21.0	22.1	23.5	25.9	28.3	28.2	27.8	25.3	23.1	21.3
年平均	24.1											

表 - 6 昭和63年・平成元年親魚水槽水温

(月) (日)	1	2	3	4	5	6	7	8	9	10	11	12
1	—	21.2	20.1	20.1	21.6	22.7	26.9	26.4	27.3	—	23.7	20.9
2	20.8	20.1	20.4	20.4	21.8	22.9	26.9	25.7	27.2	26.3	23.3	21.3
3	20.7	19.3	20.6	20.8	21.9	23.0	27.2	25.6	27.5	26.3	23.6	21.5
4	20.8	19.8	20.8	21.0	22.1	23.0	27.3	26.1	27.0	25.8	23.7	21.6
5	20.7	—	19.7	21.0	22.4	23.3	26.9	26.3	26.8	25.8	23.9	21.5
6	20.8	20.0	19.0	20.9	22.4	24.2	27.2	26.0	26.9	25.8	24.0	21.6
7	20.9	20.3	18.7	20.8	22.4	24.2	26.8	26.5	27.2	25.9	24.3	21.6
8	21.3	20.5	18.4	21.0	22.3	24.5	26.7	26.5	26.9	25.4	24.4	21.2
9	21.3	20.4	18.5	21.0	22.8	24.8	26.8	26.5	26.5	25.2	24.8	20.8
10	21.3	19.8	18.8	21.0	22.9	25.3	26.8	26.8	—	25.1	24.4	21.2
旬平均	21.0	20.2	19.5	20.8	22.3	23.8	27.0	26.2	27.0	25.7	24.0	21.3
11	21.3	—	19.3	20.7	23.0	25.8	27.0	26.9	26.1	25.6	24.9	21.3
12	21.1	—	19.9	20.4	23.5	25.6	27.3	27.2	26.1	25.7	23.9	21.2
13	20.7	—	20.2	20.5	—	26.0	27.6	27.4	26.6	25.5	24.2	21.2
14	20.4	19.8	20.6	20.8	23.2	26.3	27.6	—	27.0	25.3	23.9	21.1
15	20.1	19.8	20.2	20.9	22.6	26.4	27.3	27.0	27.2	25.2	23.3	20.4
16	20.0	20.0	20.0	20.7	22.4	26.7	27.1	27.4	27.2	25.2	23.3	20.8
17	20.3	20.4	20.0	20.7	22.9	26.9	27.8	27.7	26.9	24.6	22.9	20.9
18	20.6	20.7	19.8	21.0	23.0	27.1	27.7	27.7	26.7	24.2	22.8	20.9
19	20.8	20.4	20.0	21.0	22.8	25.9	27.0	27.8	26.4	24.3	22.0	20.8
20	21.0	20.3	20.4	21.2	22.9	24.9	27.3	27.7	26.6	24.3	22.0	20.8
旬平均	20.6	20.2	20.0	20.8	22.9	26.2	27.4	27.4	26.7	25.0	23.3	20.9
21	20.5	20.5	20.3	21.3	23.0	25.0	26.7	27.7	26.6	24.2	21.8	20.9
22	—	20.7	20.1	21.4	23.4	24.2	26.9	27.1	26.6	24.3	22.5	20.8
23	20.5	—	20.0	21.7	23.7	24.2	26.7	27.0	26.9	24.2	22.4	20.9
24	19.8	20.6	20.1	21.5	24.0	24.1	26.8	27.0	26.7	24.3	22.3	20.7
25	20.0	—	20.0	20.8	24.2	24.3	27.0	26.9	26.5	24.2	22.3	20.4
26	20.3	20.5	19.8	21.2	23.5	24.6	27.0	26.8	26.4	24.3	22.3	20.3
27	19.8	19.7	19.9	21.3	23.5	25.2	28.0	—	26.6	24.2	22.4	20.2
28	—	20.0	19.3	21.4	23.0	25.5	27.0	26.6	26.8	24.3	22.2	20.1
29	19.5	/	19.1	21.5	23.1	25.9	27.0	27.0	26.8	24.1	21.1	20.4
30	19.7	/	19.5	21.4	22.7	26.3	27.0	27.3	26.7	24.0	20.9	20.0
31	21.0	/	19.9	/	22.6	/	26.8	27.2	/	23.7	/	19.8
旬平均	20.1	20.3	19.8	21.4	23.3	24.9	27.0	27.1	26.7	24.2	22.0	20.4
平均	20.6	20.2	19.8	21.0	22.8	25.0	27.1	26.9	26.8	25.0	23.1	20.9
年平均	23.3											